

FIG. 1 (Related Art)




FIG. 2 (Related Art)




FIG. 3






FIG. 4



09025667-081001

FIG. 5



09925662.061004

FIG. 6

BRIGHTNESS AND CONTRAST

Brightness: 0 88 100

Contrast: *

COLOR

SET IN FACTORY: 6500K 9300K

COLOR TEMPERATURE: ← →

RED ← →

GREEN ← →

BLUE ← →

POSITION

6.1 3.9

6.3 7.0

SIZE

6.3 7.0

SHAPE

Shape icons: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

SETTING

VIDEO SIGNAL LEVEL → 0.7V

DIC → ON

LANGUAGE → KOREAN

OSD POSITION →

ALARM SIGNAL → ON

SPECIAL FUNCTION

REMOVE SCREEN SPOT → ON

RECALL → OFF

WAVE PATTERN REMOVE → H.O/V.O






















COLOR REFRESHING REMOVE → 60

53.0KHZ/85.0HZ

NEW MODE

00025602-081001

FIG. 7

BRIGHTNESS AND CONTRAST	
 88  100	
COLOR	
SET IN FACTORY (BOOK) (BOOK) COLOR TEMPERATURE RED GREEN BLUE	
POSITION	
 6.1  3.9 	
SIZE	
 6.3  7.0 	
SHAPE	
            	
SETTING	
VIDEO SIGNAL LEVEL DDC LANGUAGE OSD POSITION ALIGN SIGNAL	► 0.7V ► ON ► KOREAN ► OSD ► ON
SPECIAL FUNCTION	
REMOVE SCREEN SPOT RECALL WAVE PATTERN REMOVE COLOR BLEEDING REMOVE 53.00/52 / 55.0KHz NEW MODE	► ON ► OFF ► REO/Y.O ► 50 ► 53.00/52 / 55.0KHz ► NEW MODE

09925682-001001